PERINATAL ADHERENCE QUESTIONNAIRE MODULE 2 - REVISED **GENERAL REASONS FOR NON-ADHERENCE**

NIAID PEDIATRIC AIDS CLINICAL TRIALS GROUP

Page 1 of 3

Tago I est				
Patient Number Date of Patient Visit mmm dd yyyy				
Protocol Number P 0 0 0 0 Institution Code				
Form Week				
* Enter a "1" if this is the first of this form for this date. Designate subsequent forms on the same date with a 2, 3, etc. **Enter the subject's current study step number. Enter '1' if the study does not have multiple steps.				
This module captures the general reasons for non-adherence linked to each drug taken. In this step, the interviewer will collect information on reasons why the perinatal study participant may be having difficulty taking each medication.				
QUESTIONS 1 AND 2 ARE TO BE COMPLETED BY THE STUDY NURSE:				
1. Was the questionnaire completed at this visit?				
 a. Indicate the reason the questionnaire was not completed: 1-Study participant refused 2-Study participant missed clinic visit 3-There was not enough time 9-Other reason, specify 				
If Other, specify [30]:				
2. Who responded to the questions? 1-Study participant 9-Other, specify				
If Other, specify [30]:				
 INSTRUCTIONS FOR COMPLETION OF DRUG SPECIFIC TABLE: Enter the drug code name of each antiretroviral drug that the study participant is receiving in the space provided at the top of each column. Refer to page 3 for the list of most commonly used anti-HIV medications. Refer to Appendix 3 or the Drug Code Lookup Program at the DMC Web Site (http://www.fstrf.org) for any medications not listed. 				
Identification of Reasons for Non-Adherence:				
READ the following paragraph to the study participant or primary caregiver: "Many people at one time or another have trouble with these medications. We would like to better understand the things that make giving medications hard for families. These are some of the reasons others have identified which have made it difficult to take [give] all of the HIV medicines."				
Show and read the list of reasons to the study participant or primary caregiver.				
After the list is read, ask the following question for each drug (question 3 on page 2): "Have any of the following been problems for you with _(drug name or characteristics)?"				
If "Yes," enter the frequency code for each reason (a-o). If "No," go to the next drug. For data entry, use the tab key after the last entry on the page.				

QL5011(000)/00-00-00

Page 2 of 3

PERINATAL ADHERENCE QUESTIONNAIRE MODULE 2 - REVISED GENERAL REASONS FOR NON-ADHERENCE Pt. No. * Seq. No. ** Step No. Date mmm dd уууу DRUG SPECIFIC ADHERENCE DIFFICULTIES: Frequency Codes Use these codes to indicate the frequency with which 0-Never a problem 1-Hardly ever a problem (1-2 times per month) 2-Frequent problem (1-2 times per week) 3-Almost always a problem (≥ 3 times per week) each listed reason for non-adherence occurs. This needs to be done for each antiretroviral drug the study participant is taking. Enter Drug Code and Name: Drug Code [8]: Drug #1 Drug #2 Drug #3 Drug #4 Drug #5 Name [30]: Name [30]: Name [30]: Name [30]: Name [30]: 3. Problem identified? (1-Yes. 2-No) Reasons for Non-Adherence: a. Can't get drug (drug store doesn't have supply): b. Didn't refill; ran out: c. Nausea, couldn't keep it down, difficulty swallowing, taste: d. Forgot: e. Caused physical effects (rash, pain, headache, etc.): f. Scheduling: 1. Interferes with lifestyle (work, meals, school, sleep) 2. Too busy with the baby g. Couldn't deal with it that day; didn't feel like taking it; needed a break: h. Change in living situation: Concerns about disclosure: Sick with other illness: k. Don't think I need it anymore: I. Lack of family/social support: m.Concerns about medication effects on baby: n. Doesn't remember/not sure if dose was taken Fell asleep p. Away from home q. Other, specify Specify [30]: Language: Ε Ĕnglish

PERINATAL ADHERENCE QUESTIONNAIRE MODULE 2 - REVISED **GENERAL REASONS FOR NON-ADHERENCE**

DRUG CODE REFERENCE

Drug Codes and Names for Commonly Used Drugs.

Refer to Appendix 3 or the Drug Code Lookup Program at the DMC Web Site (http://www.fstrf.org) for drugs not listed below.

Anti-HIV Drugs for Protocol				
08180407	Abacavir/ABC/Ziagen/1592U89	08180415	FTC/Emtriva/emtricitabine	
08180025	Alovudine/CL-184824	08180043	Indinavir/IDV/Crixivan	
08181205	Amprenavir/APV/Agenerase/141W94/VX-479	10920013	Interleukin-2/IL-2	
08181214	Atazanavir/ATV/BMS-232632	08181218	Lexiva/Fosamprenavir/GW433908	
08180018	Atevirdine mesylate U-87201E	08180026	Lamivudine/3TC/Epivir	
08180006	Azidouridine/AzdU/azido-2',3'-dideoxyuridine	08181208	Lopinavir/Ritonavir (LPV/RTV)/Kaletra/	
08180021	AZT/ZDV/Zidovudine/Retrovir		ABT-378/r	
08180032	CD4/RST4	08180048	Loviride/Lotrene	
08180412	Combivir (3TC/ZDV)	08181204	Nelfinavir/NFV/Viracept	
08180024	d4T/Stavudine/Zerit	08180013	Nevirapine/NVP/Viramune	
08180052	d4T XR/Zerit XR	08181203	Ritonavir/RTV/Norvir	
08180414	DAPD/Amdoxovir/trimeric	08181209	Saquinavir soft gel/FTV/Fortovase	
08180020	ddC/Zalcitabine/HIVID	08180030	Saquinavir/SQV/Invirase/R031-8959	
08180007	ddI/Didanosine/Videx	08188804	T-20/pentafuside/Enfuvirtide/ENF	
08180051	ddI EC/Didanosine EC/Videx EC	08182002	TDF/Tenofovir/Tenofovir disoproxil	
08180031	DLV/delavirdine mesylate/Rescriptor		fumarate/Viread	
08180804	Efavirenz/EFV/Sustiva/DMP266/Stocrin®	08180418	Trizivir (3TC/ABC/ZDV)	
08180420	Epzicom(Abacavir/lamivudine)	08180421	Truvada(tenofovir disoproxil/emtricitabine)	
08180411	Fluorouridine/935U83			